



# SOT353-1

TSSOP5; Reel pack; SMD, 7"; Q3 Reversed product orientation; Orderable part number ending, 125 or H; Ordering code (12NC) ending 125

Rev. 1 — 13 May 2013

Packing information

## 1. Packing method




Fig 1. Reel pack for SMD


Table 1. Packing information

Reel dimensions d x w (mm)	SPQ/PQ (pcs)	Reels per box	Outer box dimensions l x w x h (mm)
180 x 8.4	3000	1	185 x 185 x 14



TSSOP5; Reel pack; SMD, 7"; Q3 Reversed product orientation;  
Orderable part number ending, 125 or H; Ordering code (12NC) ending 125

2. Product orientation



3. Carrier tape dimensions





Table 2. Carrier tape dimensions  
In accordance with IEC 60286-3.

A <sub>0</sub> (mm)	B <sub>0</sub> (mm)	K <sub>0</sub> (mm)	T (mm)	P <sub>1</sub> (mm)	W (mm)
2.25	2.25	1.2	-	4.0	8

TSSOP5; Reel pack; SMD, 7"; Q3 Reversed product orientation;  
Orderable part number ending, 125 or H; Ordering code (12NC) ending 125

## 4. Reel dimensions



**Fig 4. Schematic view of reel**

**Table 3. Reel dimensions**  
In accordance with IEC 60286-3.

D (mm)	W (mm)
180	8.4

TSSOP5; Reel pack; SMD, 7"; Q3 Reversed product orientation;  
Orderable part number ending, 125 or H; Ordering code (12NC) ending 125

5. Barcode label




Table 4. Barcode dimensions

Box barcode label l x w (mm)	Reel barcode label l x w (mm)
100 x 75	100 x 75

Limited warranty and liability

Information in this document is believed to be accurate and reliable. However, NXP Semiconductors does not give any representations or warranties, expressed or implied, as to the accuracy or completeness of such information and shall have no liability for the consequences of use of such information.

© NXP B.V. 2013.

For more information, please visit: <http://www.nxp.com>  
For sales office addresses, please send an email to: [salesaddresses@nxp.com](mailto:salesaddresses@nxp.com)

All rights reserved.

Date of release: 13 May 2013  
Document identifier: SOT353-1\_125