



# SOT353-1

TSSOP5; Reel pack; SMD; Q3 Reverse product orientation;  
Orderable part number ending, 165 or Z; Ordering code  
(12NC) ending 165

Rev. 1 — 13 May 2013

Packing information

## 1. Packing method





Table 1. Packing information

Reel dimensions d x w (mm)	SPQ/PQ (pcs)	Reels per box	Outer box dimensions l x w x h (mm)
286 x 8.4	10000	1	291 x 291 x 14



TSSOP5; Reel pack; SMD; Q3 Reverse product orientation;  
Orderable part number ending, 165 or Z; Ordering code (12NC) ending 165

2. Product orientation



3. Carrier tape dimensions





Table 2. Carrier tape dimensions  
In accordance with IEC 60286-3.

$A_0$ (mm)	$B_0$ (mm)	$K_0$ (mm)	T (mm)	$P_1$ (mm)	W (mm)
2.25	2.25	1.2	-	4.0	8

TSSOP5; Reel pack; SMD; Q3 Reverse product orientation;  
Orderable part number ending, 165 or Z; Ordering code (12NC) ending 165

## 4. Reel dimensions



**Fig 4. Schematic view of reel**

**Table 3. Reel dimensions**  
*In accordance with IEC 60286-3.*

D (mm)	W (mm)
286	8.4

TSSOP5; Reel pack; SMD; Q3 Reverse product orientation;  
Orderable part number ending, 165 or Z; Ordering code (12NC) ending 165

5. Barcode label




Fig 5. Box and reel information barcode

Table 4. Barcode dimensions

Box barcode label l x w (mm)	Reel barcode label l x w (mm)
100 x 75	100 x 75

Limited warranty and liability

Information in this document is believed to be accurate and reliable. However, NXP Semiconductors does not give any representations or warranties, expressed or implied, as to the accuracy or completeness of such information and shall have no liability for the consequences of use of such information.

© NXP B.V. 2013.

For more information, please visit: <http://www.nxp.com>  
For sales office addresses, please send an email to: [salesaddresses@nxp.com](mailto:salesaddresses@nxp.com)

All rights reserved.

Date of release: 13 May 2013  
Document identifier: SOT353-1\_165